FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

S. J. SOWINSKI LT, U. S. N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
SEVENTH FLEET Fleet,
_____ Naval District,

Commencing -10 1 AUGUST (zone time and date), 1961,

at ENROUTE PEARL HARBOR HAWAII FROM YOKOSUKA (location),

and ending +10 31 AUGUST (zone time and date), 1961,

at PEARL HARBOR, HAWAII (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19 ____

(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF96 ZONE DESCRIPTION -10 DATE TUESDAY (Day) 1 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	8	10	BKN	2990	74	70	8	1400	CU/AC	73	050	2
02	070	6	10	BKN	2989	74	68	8	2100	CU/AC	83	050	2
03	070	6	10	BKN	2989	74	68	8	2200	CU/AC	83	050	2
04	040	9	10	BKN	2989	74	69	7	2450	CU/AC	83	050	2
05	015	7	10	BKN	2989	75	67	7	2800	CU/AC	84	050	2
06	350	17	10	BKN	2989	75	68	7	2450	CU/AC	84	050	3
07	345	15	9	BKN	2987	76	69	8	2450	AC/ST	83	020	3
08	320	15	8	BKN	2988	73	70	7	1050	CU/SC	83	345	3
09	320	9	8	BKD	2986	77	73	7	1400	CU/SC	84	340	3
10	055	9	8	BKN	2985	78	71	6	2450	CU/CU	83	060	3
11	065	9	8	BKN	2984	79	72	6	2450	CU/SC	83	075	3
12	085	8	9	BKN	2984	78	72	5	3100	CU/SC	84	075	3
13	090	8	10	BKN	2983	83	77	6	3100	CU/SC	84	080	2
14	100	9	10	BKN	2982	79	73	8	3100	CU/SC	84	080	2
15	100	10	10	BKN	2982	84	74	6	3500	CI/CU	84	080	3
16	060	5	10	BKN	2982	81	73	8	2800	CU/SC	85	045	2
17	005	3	7	BKN	2982	76	72	8	1400	SC/CU	85	040	2
18	300	4	8	BKN	2984	76	72	8	1400	SC/CU	84	040	2
19	310	3	5	R	2986	76	83	10	1050	CU	84	040	2
20	115	8	5	BKN	2988	76	72	8	1400	CU	84	040	2
21	115	10	5	BKN	2989	75	72	8	1050	CU	84	040	3
22	120	6	6	BKN	2988	75	73	8	700	CU	84	050	3
23	115	8	4	OVC	2988	75	73	10	700	CU/ST	84	050	3
24													

POSITION	ZONE	TIME
0800 L 34-06N	BY	1
λ 158-18.5E	BY	1
1200 L 33-55.8N	BY	1
λ 159-31.0E	BY	1
2000 L 33-37.5N	BY	2
λ 161-24.0E	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 303

FUEL CONSUMED 0000-2400: 3570

REMARKS

00-04. Underway independently from Yokosuka Japan to Pearl Harbor, Hawaii in accordance with COMSEVENTHFLT OPSKED on course 0960; speed 13.3 knots (110 RPMs) on number two three and four main generators, number one auxiliary on ships power and epcitation. Material Condition Yoke set throughout the ship

J. E. Huffey CWO USN.

04-08 Underway as before.

E. B. Masch LTJG USCR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 1 (Date) AUGUST (Month), 1961

08-12 Underway as before. 0800 Mustered Crew on station; absentees none. 0854 Made daily inspection of magazine temperature and smokeless power samples. Conditions normal.

J.E. Hoffey CWO U.S.N.

12-16 Underway as before. 1330 c/c 102°T

T.M. Willis Jr LTJG USNR

16-18 Underway as before.

E.B. Masch LTJG USNR

18-20 Underway as before.

J.J. Gupp, CWO, USN

20-24 Underway as before.

T.M. Willis Jr LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -11 DATE WEDNESDAY 2 AUGUST 19 61
(Day) (Date) (Month)

~~AT~~/PASSAGE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	115	8	4	R	2988	75	73	10	600	SC	84	060	5
02	105	11	5	OVC	2986	76	73	10	1050	SC	84	070	5
03	080	12	5	OVC	2984	75	73	10	700	SC	84	075	5
04	060	11	6	OVC	2984	76	73	10	1030	SC	84	075	5
05	060	11	6	OVC	2985	77	74	10	1030	SC	84	070	5
06	070	12	6	OVC	2988	77	74	10	1030	SC	84	075	4
07	055	13	6	OVC	2988	77	74	10	1050	SC	83	075	4
08	060	12	7	BKN	2989	78	74	9	1400	SC/ST	81	060	3
09	040	9	7	BKN	2989	78	74	9	1400	SC/ST	84	060	2
10	020	4	7	BKN	2989	79	74	8	1750	CU/SC	83	045	1
11	340	6	7	BKN	2989	79	75	8	1400	SC/CI	83	040	1
12	095	7	7	BKN	2989	81	75	8	1750	CU/CI	83	085	2
13	120	6	9	BKN	2988	85	75	8	3500	CU/CI	84	035	2
14	250	10	9	BKN	2988	86	77	7	3150	CU/CI	83	040	2
15	230	11	9	BKN	2988	87	77	7	3500	CU/CI	83	040	2
16	230	8	9	BKN	2988	88	78	6	3500	CU/CI	84	150	2
17	230	7	9	BKN	2989	86	77	6	3150	CU/CI	84	150	2
18	210	7	10	BKN	2990	81	76	7	2100	CI/CU	84	030	3
19	210	6	10	BKN	2990	80	75	8	2100	CU/SC	84	150	3
20	215	7	10	BKN	2991	78	75	8	1050	CU/SC	84	150	3
21	195	13	10	BKN	2992	78	75	7	1050	CU/SC	84	150	3
22	~~090~~ 195	12	10	BKN	2994	80	76	8	1400	CU/SC	85	150	3
23	~~090~~	13	10	BKN	2994	80	76	8	1400	CU/SC	85	150	3
24	195	12	10	BKN	2994	79	76	8	1050	CU/SC	84	170	3

JRB

POSITION	ZONE	TIME
0800 L	33-01.8 N	BY 2
λ	164-12.0 E	BY 2
1200 L	32-50.0 N	BY 1
λ	165-10.0 E	BY 1
2000 L	32-29.0 N	BY 2
λ	167-20.3 E	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 305

FUEL CONSUMED 0000-2400: 2806

REMARKS

00-04. Steaming independently from Yokosuka Japan to Pearl Harbor Hawaii in accordance with COMSEVENTH FLT OP SKED on Course 102°, Speed 13.3 kts (110 RPMs) on number two, three and four main generators, number two and three auxiliary generators paralled for ship power, number two furnishing excitation. Material Condition "Yoke" set throughout ob ship. 0001 Set Clocks ahead one hour to conform with -11 Zone time

J C Hafley CIVS USN

04-08 Underway as before.

E.B. Masch LTJG USNR

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 2 (Date) AUGUST (Month) 19 61

08-12 Underway as before. 0800 c/c 101°T 0802 mustered the crew on stations, absentees none. 0917 made daily inspection of magazine temperatures and smokeless powder samples, conditions normal.

T. M. Willis Jr LTJG USNR

12-16 Underway as before. 1230 Exercised the crew at General Quarters. 1318 Secured from General Quarters.

J. J. Guffey, CWO, USN

16-18 Underway as before.

E.B. Masch LTJG USNR

18-20 Underway as before.

T.M. Willis Jr LTJG USNR

20-24 Underway as before.

J.J. Guffey CWO & S.I.V.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -11 DATE THURSDAY (Day) 3 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	220	10	8	BKN	2994	77	75	8	700	CU/SC	84	160	2
02	210	12	8	BKN	2994	78	75	9	1050	CU/SC	84	150	2
03	210	11	8	BKN	2994	79	76	8	1050	CU/SC	84	150	2
04	205	12	9	BKN	2994	79	75	8	1400	CU/SC	84	150	3
05	210	13	9	BKN	2994	79	76	8	1050	CU/SC	84	195	3
06	225	12	10	BKN	2996	79	75	7	1400	CU/SC	83	200	3
07	225	11	10	BKN	2998	80	76	7	1400	CU/SC	84	210	3
08	145	11	10	BKN	2999	80	76	7	1400	CU/CI	85	135	2
09	150	8	10	BKN	2998	81	76	7	1750	CU	85	130	1
10	135	6	10	BKN	2999	81	75	7	2100	CU/AC	86	125	1
11	135	6	10	BKN	2999	82	76	7	2100	CU/AC		125	1
SET 12	130	6	10	BKN	3000 2998	83	76	7	2400	CU/AC	85	125	1
13	170	6	10	BKN	2998	85	76	7	3150	CU/AC	85	125	1
14	170	6	10	BKN	2998	87	77	7	3500	CU/AC	85	125	1
15	160	9	10	BKN	2997	88	77	7	3850	CU/AC	85	100	1
16	045	4	10	BKN	2995	87	76	6	3850	CU/CU	84	085	1
17	040	7	10	BKN	2996	83	74	6	3150	AC/CU	84	080	2
18	000	5	10	BKN	2996	79	73	6	2100	AC/CU	84	080	2
19	005	7	10	BKN	2996	77	72	8	1750	AC/CU	84	085	2
20	010	8	10	BKN	2996	78	73	6	1750	CU/SC	84	095	3
21	010	8	10	BKN	2996	77	73	6	1400	CU/SC	84	095	3
22	010	7	10	BKN	2994	77	73	6	1400	CU/SC	84	085	3
23	015	8	10	BKN	2994	76	72	5	1400	CU/SC	84	085	3
24	015	7	10	BKN	2993	77	73	5	1400	CU/SC	85	085	2
SET 01	015	7	10	BKN									

POSITION	ZONE	TIME
0800 L 31-51.8N	BY	1
λ 170-31.8E	BY	1
1200 L 31-45.8 N	BY	1
λ 171-42.0 E	BY	1
2000 L 31-19.0N	BY	1
λ 173-32.0E	BY	1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400: 312

FUEL CONSUMED 0000-2400: 2692

REMARKS

00-04 Steaming independently enroute from Yokosuka Japan to Pearl Harbor Hawaii in accordance with ComSeventhFlt OPSKED on course 101°T speed 13.3 kts (110 RPM) on numbers one, two and four main generators and numbers two and three auxiliary generators. Material condition Yoke set throughout the ship.

J. M. Willis Jr LTJG USNR

04-08 Underway as before.

E. B. Masch LTJG USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 3 (Date) AUGUST (Month), 1961

08-12 Underway as before. 0800 Mustered the crew on stations; absentees; none. 0805 Took number two (2) and three (3) auxiliary generators off the line. Put number one (1) auxiliary generator on the line. 0833 c/c to 100°, 099° (PSTG/C). 0830 Made daily inspection of magazines and smokeless powder samples; conditions; normal.

J. J. Lupp, CWO, USN.

12-16 Underway as before. 1304 c/c 103°T

T. M. Willis Jr LTJG USNR

16-18 Underway as before.

E. B. Masch LTJG USNR

18-20 Underway as before.

J. Lupp CWO U.S.N.

20-24 Underway as before. 2000 c/c 102°T

T. M. Willis Jr LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABUNAKI ATF 96 ZONE DESCRIPTION -12 DATE FRIDAY (Day) 4 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	015	7	10	BKN	2993	77	73	5	1400	CU/SC	85	085	2
02	065	6	10	BKN	2991	77	73	5	1400	CU/SC	84	085	2
03	075	8	9	BKN	2991	77	73	5	1400	CU/SC	84	085	2
04	080	3	8	BKN	2992	75	72	7	1050	CU/SC	84	085	2
05	110	7	9	BKN	2991	77	73	7	1400	CU/SC	84	085	2
06	110	7	10	BKN	2991	77	74	7	1050	CU/SC	84	090	2
07	110	12	10	BKN	2992	78	74	7	1400	CU/SC	84	090	2
08	105	10	10	BKN	2994	80	74	7	2100	CU/AC	84	100	3
09	105	13	10	BKN	2994	80	74	7	2100	CU/CU	85	100	3
10	090	11	10	BKN	2994	80	74	6	2100	CU/SC	85	095	3
11	095	12	10	BKN	2994	80	74	6	2100	CU/SC	85	095	3
12	090	9	10	BKN	2993	78	74	6	1400	CU/SC	83	100	3
13	095	12	10	BKN	2993	81	75	6	3100	CU/SC	83	100	3
14	090	12	10	BKN	2990	85	76	6	3150	CI/CU	83	100	4
15	090	12	10	BKN	2990	85	76	6	3150	CI/CU	81	100	4
16	105	12	10	BKN	2989	84	76	6	2100	CU/SC	84	100	4
17	105	12	10	BKN	2990	80	73	7	2450	CU/SC	84	100	4
18	115	13	10	BKN	2992	86	74	7	2100	CU/SC	84	100	4
19	115	16	10	BKN	2990	76	73	7	1050	CU/SC	84	100	5
20	140	14	10	BKN	2991	76	73	7	1050	CU/SC	84	100	5
21	075	18	5	OVC	2982	75	72	10	1050	CU/SC	84	100	5
22	065	13	7	BKN	2993	75	73	8	700	CU/SC	84	100	5
23	075	8	7	BKN	2994	76	73	8	1050	CU/SC	84	100	5
24	070	14	8	BKN	2994	76	73	8	1050	CU/SC	84	100	5

POSITION	ZONE	TIME
0800 L	30-52.0N	BY 1
λ	176-14.2E	BY 1
1200 L	30-35.8N	BY 1
λ	177-14.6E	BY 1
2000 L	30-09.5N	BY 1
λ	178-59.0E	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 302

FUEL CONSUMED 0000-2400: 3317

REMARKS

00-04 Underway independently enroute from Yokosuka Japan to Pearl Harbor, Hawaii in accordance with Com Seventh Flt Opsked on course 102°, speed 13.3 knots (110 RPM's), on numbers 1, 2 and 4 main generators and number 1 auxiliary generator for ships power. Material condition "Yoke" set through out the ship. 0000 Set clocks ahead one (1) hour to conform with -11.2 time zone.

J. J. Hupp, Ens, USN

04-08 Underway as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 4 (Date) AUGUST (Month), 19 61

08-12 Underway as before. 0800 mustered the crew on station, absentees none. 0800 c/c 103°T. 0937 made daily inspection of magazine temperatures and smokeless powder samples, conditions normal. Made weekly test of magazine sprinkling system, test satisfactory

J. M. Willis Jr LTJG USNR

12-16. Underway as before.

J. E. Hoffley CWO U.S.N.

16-18 Underway as before.

E. B. Mosch LTJG USNR

18-20 Underway as before.

J. M. Willis Jr LTJG USNR

20-24 Underway as before.

J. J. Gipp, CWO, USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mosch U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 12 DATE FRIDAY (Day) 4 (Date) AUGUST (Month), 19 61

~~AT~~/PASSAGE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	13	8	BKN	2994	77	73	8	1400	CU/SC	83	100	5
02	100	14	8	BKN	2993	77	73	8	1400	CU/SC	81	100	5
03	100	17	8	BKN	2993	77	73	8	1400	CU/SC	81	100	5
04	115	16	8	BKN	2992	77	75	8	0700	CU/SC	83	100	5
05	110	16	8	BKN	2995	77	73	8	1400	CU/SC	82	100	5
06	120	14	8	BKN	2995	76	74	8	0700	CU/SC	82	100	4
07	120	13	8	BKN	2997	76	73	8	1050	CU/SC	82	100	9
08	100	12	8	BKN	2999	77	73	8	1400	AC/SC	83	100	3
09	100	13	6	BKN	2999	76	74	9	700	SC/ST	83	100	3
10	100	13	7	BKN	2999	76	74	8	700	SC/ST	80	100	3
11	105	13	7	BKN	2999	80	75	8	1750	SC/ST	80	100	3
12	125	8	10	BKN	2999	78	73	7	1750	SC/ST	81	100	3
13	125	6	9	BKN	3000	78	73	7	1750	SC/ST	80	105	3
14	130	8	9	BKN	3000	79	74	7	1750	SC/ST	80	105	3
15	130	8	9	BKN	3001	83	76	7	2450	SC/ST	80	105	3
16	125	7	9	BKN	30.00	84	75	8	3150	AC/SC	83	100	3
17	125	7	5	R	30.00	79	74	8	1750	SC/ST	83	100	3
18	130	12	3	R	3008	75	72	10	1050	SC/ST	83	110	3
19	135	10	3	R	3004	75	73	10	700	SC/ST	83	110	3
20	135	9	3	OVC	3005	76	73	10	1050	SC/ST	84	110	3
21	130	9	8	R	3009	76	74	10	700	SC/ST	83	110	3
22	135	9	8	OVC	3009	76	73	10	1650	SC/ST	83	110	3
23	140	10	8	OVC	3009	76	73	10	1050	SC/ST	83	110	3
24	140	10	8	BKN	3009	76	73	8	1050	SC/ST	83	110	3

POSITION	ZONE	TIME
0800 L	29-29.0N	BY 4
λ	178-26.0W	BY 4
1200 L	29-06.8N	BY 1
λ	177-23.0W	BY 1
2000 L	28-35N	BY 4
λ	175-36W	BY 4

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 294

FUEL CONSUMED 0000-2400: 3256

REMARKS

00-04 Steaming independently enroute from Yokosuka Japan to Pearl Harbor Hawaii in accordance with COMSEVENTHFLT OP-5KED on course 103°T speed 110RPM (13.3 kts) on number 1, 2 and 3 main generators and number 1 auxiliary generator. Condition Yoke set throughout the ship. 0000 retarded clocks 24 hours to conform with +12 time zone. 0040 c/c 109°T crossed International Date line.

J. M. Willis Jr LTJG USNR

04-08 Underway as before.

E. B. Mosch LTJG USNR

APPROVED: _____ CT U. S. N. COMMANDING

EXAMINED: E. B. Mosch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 4 (Date) AUGUST (Month), 1961

08-12. Underway as before. 0800 Mustered Crew on Stations; absentees none. 0902 Made daily inspection of magazine temperatures and smokeless powder samples; conditions normal. 0940. Shifted steering motor Port to Starboard Unit.

J.E. Stoffey CWO

12-16 Underway as before. 1219 c/c 108°T

J. M. Willis Jr LTJG USNR

16-18 Underway as before.

E.B. Masch LTJG USNR

18-20 Underway as before. 1827 Took number one (1) main generator out of propulsion loop. C/S to 11.6 knots (95 RPM's). 1842 Put number four (4) main generator in the propulsion loop. C/S to 13.3 knots (118 RPM's).

T. L. Shipp, CWO, USN.

20-24 Underway as before.

J. M. Willis Jr LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION + 11 DATE SATURDAY (Day) 5 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	140	10	8	BKN	3009	76	73	8	1050	SC/ST	83	110	3
02	150	12	8	BKN	3009	76	73	8	1050	SC/ST	83	110	3
03	150	12	8	BKN	3009	75	72	9	1050	SC/ST	82	110	3
04	145	12	8	BKN	3008	76	73	7	1050	CU/SC	83	120	3
05	175	14	8	BKN	3008	76	74	6	700	SC/ST	83	120	3
06	175	14	10	BKN	3010	77	74	7	1050	SC/ST	83	120	3
07	170	13	10	BKN	3012	78	74	8	1400	CU/SC	82	120	3
08	140	10	10	BKN	3014	79	74	7	1750	CI/CU	82	120	3
09	070	9	10	BKN	3015	79	75	7	1400	CI/CU	82	105	3
10	120	13	10	BKN	3015	79	74	7	1750	CI/CU	84	100	3
11	100	15	7	BKN	3015	80	75	7	1550	CI/CU/SC	84	105	4
12	105	13	8	BKN	3015	78	75	7	1050	CI/CU	83	105	4
13	100	12	8	BKN	3015	77	74	7	1400	CU/SC	82	105	4
14	100	11	8	BKN	3014	83	77	7	2100	CU/SC	83	105	4
15	140	12	10	BKN	3012	82	77	7	2100	CU/SC	84	105	4
16	075	9	10	BKN	3012	84	74	7	3500	CU/SC	84	105	4
17	080	10	10	BKN	3012	83	75	7	2800	CU/CS	84	105	4
18	055	9	10	BKN	3011	82	74	7	2800	CU/CS	84	105	4
19	080	13	10	BKN	3016	83	83	8	3500	CU	84	105	4
20	100	10	10	BKN	3016	78	73	7	1750	CU/SC	84	100	4
21	100	11	10	BKN	3030	77	73	7	1050	CU/SC	84	100	4
22	075	12	10	BKN	3020	77	73	7	1750	CU/SC	84	100	4
23	075	12	10	BKN	3018	77	73	7	1750	CU/SC	84	095	4
24	075	11	10	BKN	3019	77	72	7	1750	CU/SC	83	095	4

POSITION	ZONE	TIME
0800 L 27-58.0N	BY	1
λ 179-56.8W	BY	1
1200 L 27-33.0N	BY	1
λ 179-56.0W	BY	1
2000 L 27-09.8N	BY	1
λ 178-13.0E	BY	1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 326

FUEL CONSUMED 0000-2400: 4045

REMARKS

00-04. Steaming independently enroute from Yokosuka Japan to Pearl Harbor, Hawaii in accordance with Com Seventh Fit Op Ltd on course 108° speed 13.3 kts (100 RPM) on number 2, 3 and 4 main generator number 2 & 3 auxiliaries parallel for ships power, excitation on number 2. Material Condition Yoke set through out the ship. Number one main engine out of commission and number one 10KW (MG) set. 0000 Set clock ahead one (1) hour to conform watch +11 Zone time

J.C. Taffey Cmdr USN.

04-08 Underway as before.

E.B. Masch LT JG USNR

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E.B. Masch LT JG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 5 (Date) AUGUST (Month), 1961

08-12 Underway as before. 0800 c/c 109°T 0802 mustered the crew on stations, absentees none. 0804 made daily inspection of magazine temperatures and smokeless powder samples, conditions normal. 0859 c/c 110°T 0909 c/s 115RPM (13.8 kts)

I.M. Willis Jr LTJG USNR

12-16 Underway as before. 1319 c/c to 108°, 101° (PSTGC). c/c to 109°, 102° (PSTGC).

J.F. Phipps, CWO, USN.

16-18 Underway as before.

E.B. Masch LTJG USNR

18-20 Underway as before.

I.M. Willis Jr LTJG USNR

20-24 Underway as before. 2100 c/c 115°

J.F. Phipps CWO USN.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SUNDAY (Day) 6 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	095	12	10	SCT	3018	77	72	5	2100	CU/SC	83	100	4
02	090	12	10	SCT	3016	77	72	5	1750	CU/SC	83	100	3
03	090	12	10	SCT	3016	77	72	5	1750	CU/SC	83	100	3
04	060	10	10	SCT	3015	75	70	5	1750	CU	83	100	3
05	060	12	10	SCT	3014	75	70	5	1750	CU	83	100	3
06	050	10	10	SCT	3015	75	70	5	1750	CU	83	100	3
07	060	12	10	SCT	3016	76	71	5	1750	CU	83	100	3
08	030	10	10	BKN	3016	78	72	6	2100	AC/CU	81	080	2
09	070	7	10	SCT	3015	79	71	3	2800	CU	82	095	2
10	070	7	10	SCT	3016	80	73	4	2450	CU	83	090	2
11	005	5	10	SCT	3015	80	74	4	2100	CU	83	085	1
12	340	6	10	BKN	3016	79	75	6	1400	CU/SC	83	085	2
13	070	11	10	BKN	3013	83	75	6	2800	CU/CU	83	085	3
14	080	12	10	BKN	3010	81	75	6	2100	CU/CU	84	085	3
15	080	13	8	BKN	3008	80	74	7	2100	CU/SC	84	085	3
16	070	11	10	SCT	3007	80	74	5	2100	CU/SC	84	080	3
17	070	12	10	SCT	3007	80	74	4	2100	CU/SC	84	080	3
18	070	12	10	SCT	3008	80	74	4	2100	CU/SC	83	080	3
19	095	13	10	SCT	3008	80	74	4	2100	CU/SC	83	080	3
20	095	15	7	BKN	3009	75	72	6	1050	CU/SC	83	080	3
21	090	8	7	BKN	3009	76	72	6	1400	CU/SC	84	080	3
22	090	9	7	BKN	3009	76	73	6	1050	CU/SC	84	080	3
23	075	11	7	BKN	3010	76	73	6	1050	CU		080	3
24													

POSITION	ZONE	TIME
0800 L 25-56.4N	BY	1
λ 167-24.0W	BY	1
1200 L 25-32.6N	BY	1
λ 166-31.7W	BY	1
2000 L 24-39.5N	BY	1
λ 164-45.6W	BY	1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 300

FUEL CONSUMED 0000-2400: 3117

REMARKS

00-04 Steaming independently enroute Yokosuka Japan to Pearl Harbor Hawaii in accordance with COMSEVENTHFLT OP-ORD on course 115°T speed 13.8 kts (115 RPM) on numbers 2, 3 and 4 main generators and numbers 2 and 3 auxiliary generators. Condition Yoke set throughout the ship.

D. M. Willis Jr LTJG USNR

04-08 Underway as before

E. B. March LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 6 (Date) AUGUST (Month), 19 61

08-12 Underway as before. 0805 Mustered the Crew on Stations; Absentees; None. 0815 Made daily inspections of Magazines and Smokeless powder samples; Conditions Normal.

J. F. Kapp, CWO, USN

12-16 Underway as before.

E.B. Masch LTJG USNR

16-18 Underway as before

E B. Masch LTJG USNR

18-20 Underway as before

J. F. Kapp CWO USN.

20-24 Underway as before. MSR C/C 114° T

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS HENAK; (HTT-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 7 (Date) AUGUST (Month), 19 61

~~AT~~/PASSAGE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	075	13	8	BKN	3008	77	73	8	1400	CU/SC	83	080	4
02	055	13	9	BKN	3006	77	73	8	1400	CU/SC	83	080	4
03	065	12	9	BKN	3004	77	73	8	1400	CU/SC	83	085	4
04	085	14	9	BKN	3004	77	73	8	1400	CU/SC	83	085	4
05	080	13	9	BKN	3004	77	73	8	1400	CU/SC	83	085	4
06	085	13	9	BKN	3004	77	73	8	1400	CU/SC	83	090	4
07	080	13	9	BKN	3004	77	73	8	1400	CU/SC	83	090	4
08	090	13	9	BKN	3005	79	79	6	2400	CU	84	090	4
09	070	13	9	BKN	3005	79	73	6	2400	CU	84	080	4
10	065	12	9	BKN	3005	80	73	6	2450	CU	84	085	4
11	065	12	9	SCT	3004	80	74	3	2100	CU/SC	83	085	4
12	080	13	9	SCT	3004	79	73	3	2100	CU/SC	83	085	4
13	095	12	9	SCT	3002	80	73	4	2400	CU/SC	83	085	4
14	080	13	9	SCT	3001	81	74	4	2400	CU/SC	83	085	4
15	095	18	9	BKN	3000	75	72	6	1050	CU/SC	83	080	4
16	070	13	9	BKN	2998	80	73	6	2450	CI/AC	84	080	4
17	070	13	9	BKN	2996	81	73	8	2800	AC/SC	84	080	4
18	045	18	10	BKN	2996	80	73	8	2450	CI/SC	84	080	4
19	085	18	10	BKN	2996	79	73	8	2100	CI/CU	85	080	4
20	040	14	10	BKN	2996	79	73	8	2100	CU/SC	84	080	4
21	070	15	10	BKN	2999	77	72	8	1750	CU/SC	84	080	4
22	075	14	10	BKN	2999	78	72	8	2100	CU/SC	84	080	4
23	070	14	10	BKN	3000	78	72	8	2100	CU/SC	83	075	4
24	075	12	10	BKN	2998	77	71	8	2100	CU/SC	83	075	4

POSITION	ZONE	TIME
0800		
L 33-11.0N	BY	1
λ 162-31.9E	BY	1
1200		
L 33-14.8N	BY	1&3
λ 161-31.0E	BY	1&3
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400: 306

FUEL CONSUMED 0000-2400: 4771

REMARKS

00-04 Underway independently enroute from Yokosuka, Japan to Pearl Harbor, Hawaii in accordance with Commander 7th Fl. Op. Ltr. On course 114°, speed 13.9 knots (115 RPM's). On Numbers 2, 3, and 4 main generators and Numbers 2 and 3 auxiliary paralleled for ships power, excitation on Number 4 generator. Conditions Zebra set throughout the ship. 0000 Advanced Clocks One (1) hour to conform to (+) 10 time zone.

J. J. Stupps, AMS, USN

04-08 Underway as before.

E. B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (DATT-96) MONDAY (Day) 7 (Date) AUGUST (Month), 19 61

08-12 Underway as before. 0800 mustered The crew on stations absentees none. 0854 made daily inspection of magazine temperatures and smokeless powder samples, conditions normal. 0907 sighted NIHOA Island bearing 153°T distance approximately 33 miles 0919 c/c 115°T 1101 passed NIHOA Island abeam to starboard bearing 205°T distance 20 miles

J. M. Willis Jr LTJG USNR

12-16. Underway as before. 1255 C/S (25 RPM) 3.3 Knots 1300 C/C 113°. 1305 C/C 114° 1307 C/S (50 RPM) 6.7 Kts C/C 115°. 1321 C/S (60 RPM) 7.7 kts 1324 C/S 70 RPM 8.9 kts 1335 C/S (75 RPM) 9.5 kts 1336 C/S 120 RPM 14.3 kts. 1337 C/S (75 RPM) 9.5 kts. 1400 C/S 126 RPM 14.9 kts.

J. E. Hoffey Cwo USN

16-18 Underway as before

E. B. Masch LTJG USNR

18-20 Underway as before.

J. M. Willis Jr LTJG USNR

20-24 Underway as before. 2048 C/C to 104°, 096° (PSTG.C.). 2100 C/C to 102°, 094° (PSTG.C.) Sighted Kaulaia Light bearing 117°, distance approximately 28 miles. 2245 Passed Kilauia Light abeam to starboard distance approximately 4 miles. 2256 C/C to 133°, 128° (PSTG.C.). 2302 Sighted Kahala Light bearing 177°, distance approximately 10 miles.

J. J. Lupp, CWO, USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 8 (Date) AUGUST (Month), 19 61

AT/PASSAGE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	075	12	10	BKN	3000	78	72	6	2100	CU/SC	83	075	4
02	070	15	10	BKN	2998	76	71	6	1750	CU/SC	83	075	4
03	065	13	10	BKN	2997	76	71	6	1750	CU/SC	83	075	4
04	065	10	10	BKN	2996	77	70	6	2450	CI/CU	83	075	5
05	075	11	10	BKN	2996	77	70	6	2450	CI/CU	83	090	5
06	015	5	10	BKN	2996	76	70	6	2100	CU/SC	83	105	3
07	065	6	8	SCT	30.00	72	71	2	350	CU	83	125	1
08	075	5	8	SCT	2999	76	71	2	1750	CU	83	120	1
09	100	8	10	SCT	2999	77	71	2	2100	CU	83	120	1
10													
11													
12	SEE FLEET WEATHER CENTRAL												
13													
14													
15	PEARL HARBOR HAWAII												
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 97

FUEL CONSUMED 0000-2400: 200

REMARKS

00-04 Underway independently enroute from Yokosuka Japan to Pearl Harbor Hawaii in accordance with COMSEVENTHFLT OPSKED on course 133°T, speed 14 knots (126 RPM's) on numbers 1,2,3 and 4 main generators and number one auxiliary generator. Condition Yoke is set throughout the ship. 0604 c/c 134°T 0215 sighted island of Oahu bearing 120°T distance approximately 27 miles 0332 sighted KAENA Point light bearing 087½°T distance approximately 15 miles.

J. M. Willis LTJG USNR

04-08 Underway as before. 0423 Passed Kaena Pt. Light abeam to port, distance approximately 10 miles. 0425 Sighted Barbers Point Light bearing 119°T, distance approximately 14 miles. 0520 Passed Barbers Point Light abeam to port, distance approximately 6 miles. 0523 c/c to 090°, c/s to 3.3 knots (25 RPM). 0550 c/c to 050°T. 0639 c/c to 270° T.

E. B. Musch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E B Musch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 8 (Date) AUGUST (Month), 19 61

08-12. Underway as before. 0800 Mustered the crew on station Absentees: none. 0830 Commenced making preparation for entering port. 0859 C/S 110 RPM 13.3 kts 0900 Set the special sea and anchor detail. 0903 C/S 065°. Captain coming the ship. Navigator on the bridge. Commenced steering various courses at various speeds conforming to Pearl Harbor Channel. 0922 passed buoy 6 to starboard, approximately 75 yards. 0931 passed degaussing range satisfactory. 0952 moored starboard side to Berth Seven Eighteen (S-18) U.S. Naval Base Submarine, Pearl Harbor, Hawaii with four (4) standard mooring lines in use. 1005 secured special sea and anchor detail. Set regular in port watch 1100 commenced securing miscellaneous services from the ship. 1151. Made daily inspection of engine temperatures and auxiliary power plants' condition normal. 1030. In accordance with BUPERS ORDERS 093813 ENS HOBART. K. SWAN USNR reported on board for duty

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO USN.

16-20. Moored as before. 1800 Set material condition "Yoke" throughout the ship. Mustered the duty fire party.

J.E. Hoffey CWO USN

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Marsh LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 9 AUGUST, 1961
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE			FLEET			WEATHER		CENTRAL			
07													
08													
09													
10		PEARL			HARBOR			HAWAII					
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to berth Alpha Explorer (S-18) U.S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present included various units and ships of the U.S. Pacific Fleet plus yard and district craft SOPA is Commander in Chief U.S. Pacific Fleet

J.E. Duffy Cwo USN.

04-08 Moored as before 0750 Mustered the crew at Quarters for muster and inspection, Absentees none.

J.E. Duffy Cwo U.S.N.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Musch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 9 (Date) AUGUST (Month), 19 61

08-12 Moored as before. 0830 Made daily inspection of magazine temperature and smokeless powder samples, condition normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED:

LT, U.S.N. COMMANDING

EXAMINED:

E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 10 (Date) AUGUST (Month), 1961

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06			SEE FLEET WEATHER CENTRAL										
07													
08													
09			PEARL HARBOR, HAWAII										
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to berth Sierra Eighteen (S-18) U.S. Naval Submarine Base, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander-in-chief U.S. Pacific Fleet.

E.B. Masch LTJG USNR

04-08 Moored as before. 0750 Held quarters for muster and inspection, absentees none.

E.B. Masch LTJG USNR

APPROVED: LT U.S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96). THURSDAY (Day) 10 (Date) AUGUST (Month) 1961

08-12 Moored as before. 0835 Made daily inspection of magazines and smokeless powder samples, condition, normal.

J.F. Stupp, CWO, USN

12-16 Moored as before.

J.F. Stupp, CWO, USN.

16-20 Moored as before. 1800 Set material condition "Yoke" throughout the ship. Mustered the duty fire party.

J.F. Stupp, CWO, USN.

20-24 Moored as before.

J.F. Stupp, CWO, USN.

APPROVED:

[signature] LT, U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 11 (Date) AUGUST (Month), 1961

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE FLEET WEATHER CENTRAL											
07													
08													
09		PEARL HARBOR HAWAII											
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Sierra eighteen (S-18), U.S. Naval Submarine Base, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft. COMPA is Commander in Chief, U.S. Pacific Fleet.

J. J. Stupka, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; a few extra; none.

J. J. Stupka, CWO, USN

APPROVED: C. T. U.S.N. COMMANDING

EXAMINED: E. B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 11 (Date) AUGUST (Month), 19 61

08-12 Moored as before. 0836 made daily inspection of magazine temperatures and smokeless powder samples conditions normal. Made weekly test of magazine sprinkler system, test satisfactory

D. M. Willis Jr LTJG USNR

12-16 Moored as before.

D. M. Willis Jr LTJG USNR

16-20 Moored as before

D. M. Willis Jr LTJG USNR

20-24 Moored as before

D. M. Willis Jr LTJG USNR

APPROVED: [signature] CT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 12 (Date) AUGUST (Month), 1961

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE FLEET WEATHER CENTRAL											
07													
08													
09													
10		PEARL HARBOR HAWAII											
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Siena Eighteen (S-18) U.S. Naval Submarine Base Pearl Harbor Hawaii with four standard mooring lines in use. Receiving miscellaneous services from the pier. Ships present include various units of the US Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT

T. M. Willis JR LTJG USNR

04-08 Moored as before

T. M. Willis JR LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 12 (Date) AUGUST (Month), 19 61

08-12. Moored as before. 0800 Mustered crew on station
Absentee mark 1003 Made daily inspection of
magazine temperature and smokeless powder samples.
Condition normal.

J. H. Hoffey CWO U.S.N.

12-16. Moored as before.

J. H. Hoffey CWO U.S.N.

16-20. Moored as before. 1800 Set material condition
Yoke throughout the ship.

J. H. Hoffey CWO U.S.N.

20-24. Moored as before.

J. H. Hoffey CWO U.S.N.

APPROVED:

[signature] U. S. N. COMMANDING

EXAMINED:

E. B. Musch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 13 (Date) AUGUST (Month), 1961

AT/P~~ASSAGE~~ FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SEE FLEET WEATHER CENTRAL
PEARL HARBOR HAWAII

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored Starboard side to berth Fifteen (S-15) U.S. Naval Submarine Base Pearl Harbor, Hawaii with four standard mooring lines doubled up. Receiving miscellaneous service from pier. Ship present includes various units of the U.S. Pacific Fleet plus Yard and District Craft. SOPA is Commander in Chief U.S. Pacific Fleet.

J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered the crew on station; absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] CT, U.S.N. COMMANDING

EXAMINED: E.B. Mash LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 13 (Date) AUGUST (Month), 19 61

08-12 Moored as before. 0830 Made daily inspection of magazine temperatures and smakeless powder samples, condition normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition Yoke.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 14 (Date) AUGUST (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08	SEE FLEET WEATHER CENTRAL												
09													
10													
11													
12	PEARL HARBOR, HAWAII												
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Lima Eighteen (L-18) U.S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and distrct craft. SOPA is CINCPACFLT.

E.B. Masch LTJG USNR

04-08 Moored as before. 0750 Held quarters for muster and inspection, absentees none.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96). MONDAY (Day) 14 (Date) AUGUST (Month), 1961

08-12 Moored as before. 0830 Made daily inspection of magazines and smokeless powder samples; conditions normal. 0915 Commenced making preparations for getting underway. 0945 S & T the special sea and anchor detail. 0950 Completed all preparations for getting underway. Ungat - forward 12'6" aft 15'6". 1010 Underway from berth Alaska eighteen (S-18) for berth Foxtrot one (1). Captain and Navigator on the bridge. OOD has the comp. Steering various courses and speeds to conform to Pearl Harbor Channel. 1045 Moored starboard side to U.S.S. Chapple (ARS 7) at berth Foxtrot one (F-1), with four (4) standard mooring lines doubled up. 1050 Secured the special sea and anchor detail. 1653 YC 1387 moored alongside to port. 1745 GMT

J. G. Stipp, CWO, USN

12-16 Moored as before. 1415 YC 1387 underway from alongside to port.

J. G. Stipp, CWO, USN

16-20 Moored as before. 800 A & T material condition Yoke. 1830 Mustered the fire party.

J. G. Stipp, CWO, USN

20-24 Moored as before.

J. G. Stipp, CWO, USN.

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 15 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET				WEATHER		CENTRAL			
07													
08													
09													
10		PEARL HARBOR HAWAII											
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400: 1

FUEL CONSUMED 0000-2400: 209

REMARKS

00-04 Moored starboard side to USS Grapple (ARS7) with four standard mooring lines in a nest of five ships. USS Vance (DER 387) moored inboard of USS Grapple (ARS7). USS Falgout moored inboard of USS Vance (DER 387) USS Nicholas (DDE 449) moored starboard side to USS Diamond (AD 20), North Foxtrot one (F-1), Ford Island Pearl Harbor, Hawaii. Receiving all services from the USS Diamond (AD 20). Ships present includes various ships and units of the U.S. Pacific Fleet yard and district craft. COMSERON is Commander in Chief, U.S. Pacific Fleet.

J. J. Hipps, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection, absentees; None.

J. J. Hipps, CWO, USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mayeh LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 15 (Date) AUGUST (Month) 19 61

08-12 Moored as before. 0829 made daily inspection of magazine temperatures and smokeless powder samples, conditions normal. 0847 YTB 262 brought YC 1882 alongside to port.

J. M. Willis Jr LTJG USNR

12-16 Moored as before. 1557 YTB 262 came alongside YC 1882. 1559 YTB 262 departed with YC 1882 in tow.

J. M. Willis Jr LTJG USNR

16-20 Moored as before. 1800 set material condition Zebra. 1810 exercised fire duty import Fire Party

J. M. Willis Jr LTJG USNR

20-24 Moored as before.

J. M. Willis Jr LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 16 (Date) AUGUST (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored, starboard side to USS Grapple (ARS-7) with four (4) standard mooring lines in use in a nest of five (5) ships. USS Vance (DER-387) moored inboard of USS Grapple (ARS-7) USS ~~Nichol~~ Falgout moored inboard of USS Vance (DER-387). USS Nicholas (DDE-449) moored inboard of USS Falgout (DER347) USS Nicholas (DDE-449) moored starboard side to USS Hamul (AD-20) at berth Foxtrot One (F-1) Ford Island, Pearl Harbor Hawaii. Receiving all services from the USS Hamul (AD-20) Ships present include various units of the U.S. Pacific Fleet plus yard and distrit craft. SOPA is CINCPACFLT

J. M. Willis Jr LTJG USNR

04-08 Moored as before. 0750 held quarters for muster and inspection, absentees none.

J. M. Willis Jr LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 16 (Date) AUGUST (Month), 1961

08-12. Moored as before. 0826 Made daily inspection of magazine temperatures and interior power samples, condition normal.

J E Hoffey CWO USN.

12-16. Moored as before.

J E Hoffey CWO USN

16-20 Moored as before. 1800 Set material condition "Yoke" throughout the ship.

J E Hoffey CWO USN

20-24. Moored as before.

J E Hoffey CWO USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 17 AUGUST 1961
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE FLEET WEATHER CENTRAL												
08													
09													
10													
11													
12													
13	PEARL HARBOR, HAWAII												
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04. Moored starboard side to U.S.A Grapple (ARS-7) with four (4) standard mooring lines doubled up in a nest of five (5) ships U.S.S. Vance (DER-387 moored inboard of U.S.A Grapple (ARS-7) U.S.A. Talbot (DER-347 moored inboard of U.S.A Vance (DER-387) U.S.A Nicholas (DDE-449) moored inboard of U.S.A Flagont (DER-347) U.S.A Nicholas (DDE-449) moored ~~out~~ inboard of U.S.A Hamul (AD-20) at berth Foxtrot and (F-1) Ford Island, Pearl Harbor, Hawaii Receiving all service from U.S.A. Hamul (AD-20) Ships present included various units of the U.S. Pacific Fleet plus Yard and district Craft SOPA is CINCPACFLT

J.E. Griffey CWO USN

04-08. Moored as before 0750 held Quarters for muster and inspection; Overtime work

J.E. Griffey CWO USN

APPROVED:

LT, U. S. N. COMMANDING

EXAMINED:

E.B. Masek LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 17 (Date) AUGUST (Month), 19 61

08-12 Moored as before. 0817 Made daily inspection of magazine temperatures and smokeless powder samples, conditions normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: EXAMINED:

U.S.N. COMMANDING E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 18 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE			FLEET		WEATHER				CENTRAL			
08													
09													
10													
11				PEARL		HARBOR				HAWAII			
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Grapple (ARS-7) with four(4) standard mooring lines doubled up in a nest of five(5) ships. USS Vance (DER-387) moored inboard of USS Grapple (ARS-7). USS Falgout (DER-347) moored inboard USS Vance (DER-387) USS Nicholas (DDE-449) moored inboard USS Falgout (DER-347). USS Nicholas (DDE-449) moored starboard side to USS Hamul (AD-20) at berth Foxtrot One (F-1) Ford Island Pearl Harbor Hawaii Receiving all services from the USS Hamul (AD-20). Ships present include various units of the US Pacific Fleet plus yard and district craft. SOPA is Commander in chief US Pacific Fleet.

E. B. Masch LTJG USNR

04-08 Moored as before. 0750 Held quarter for muster and inspection, absentee none.

E. B. Masch LT JG USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) FRIDAY (Day) 18 (Date) AUGUST (Month) 19 61

08-12 Moored as before. 0815 YTB 496 moored alongside to port. 0825 YTB 442 moored alongside to port. 0830 Made daily inspection of magazines and smokeless powder samples. conditions normal. Made weekly test of magazine sprinkling system; test satisfactory. 0845 USS Vance (DER 387) USS Grapple (ARS 7) and USS Abnaki (ATF-96) underway from along side USS Falgout (DER 347). 0855 USS Vance (DER 387) underway from along side USS Grapple (ARS 7). 0910 USS Grapple (ARS 7) and USS Abnaki (ATF 96) moored starboard side to with Portsmouth Four (F-4) with four standard mooring lines. 0915 USS Abnaki underway from alongside USS Grapple (ARS 7). 0930 Moored starboard side to USS Nicholas (DDE 449) outboard of USS Samuel (AD 20) at with Portsmouth One (F-1) with four standard mooring lines.

J. J. Lupp, CWO, USN

12-16 Moored as before. 1345 Pursuant to Bupers orders 080 080 of 3 April 19(yy) Thomas M. Willis Jr. USNR 627728 was detached from this ship with orders to report to Com 12 for transportation. 1400 Commenced Captains material inspection. 1500 Secured from Captains material ~~conduction~~ inspection.

J. J. Lupp, CWO, USN

16-20 Moored as before. 1800 Set Material condition Yoke. 1815 Mustered the duty fire party.

J. J. Lupp, CWO, USN

20-24 Moored as before.

J. J. Lupp, CWO, USN

APPROVED:

[signature] LT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 19 (Date) AUGUST (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE			FLEET				WEATHER					
08													
09					CENTRAL								
10													
11	PEARL HARBOR, HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04 Moored starboard side to U.S.S. Nicholas (DDE 449), moored outboard of U.S.S. Hamul (AD 20) at North Foxtrot one (F-1), Ford Island Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving all services from the U.S.S. Hamul (AD 20) Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft. CINCPAC is Commander in Chief, U.S. Pacific Fleet.

J. J. Gupp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew on stations; absentees; none.

J. J. Gupp, CWO, USN

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Mosch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 19 (Date) AUGUST (Month), 19 61

ØØ-12: MOORED AS BEFORE. ØØ29 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1110 - YTB-195 AND TUG MENOQUET MOORED ALONGSIDE TO PORT. 1120 TAYLOR, A, CIVILIAN PILOT CAME ABOARD. 1130 - USS ABNAKI (ATF-96) UNDERWAY DEAD PLANT TO ALLOW USS PHILLIP (DDE-498) AND USS RADFORD (DDE-446) TO ENTER NEST ALONGSIDE TENDER USS HAMUL (AD-20).

H R Swan, ENS USNR.

12-16: UNDERWAY AS BEFORE. 1201 MOORED STARBOARD SIDE TO USS RADFORD (DDE-446), OUTBOARD OF USS PHILLIP (DDE-498), USS NICHOLAS (DDE-449), AND USS HAMUL (AD-20) AT BERTH FOXTROT-ONE (F-1) WITH FOUR STANDARD MOORING LINES DOUBLED UP. 1206 TAYLOR, A., CIVILIAN PILOT DEPARTED PORT SIDE ABOARD YTB-195. TUG MENOQUET DEPARTED PORT SIDE.

H R Swan, ENS, USNR.

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H R Swan, ENS. USNR.

20-24: MOORED AS BEFORE.

H R Swan, ENS, USNR.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 20 AUGUST, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET				WEATHER			CENTRAL		
07													
08													
09													
10		PEARL		HARBOR				HAWAII					
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04: MOORED STARBOARD SIDE TO USS RADFORD (DDE-446) MOORED OUTBOARD OF USS PHILLIP (DDE-498), USS NICHOLAS (DDE-449) AND USS HAMUL (AD-20) AT BERTH FOXTROT-ONE (F-1), FORD ISLAND, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP, RECEIVING ALL SERVICES FROM USS HAMUL (AD-20). SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER IN CHIEF, U.S. PACIFIC FLEET.

H K Swan, ENS. USNR.

04-08: MOORED AS BEFORE.

H K Swan, ENS. USNR.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 20 (Date) AUGUST (Month), 19 61

08-12. Moored as before. 0800 Mustered duty section on station, absentee none. 0855 Made daily inspection of magazine temperature and smokeless powder sample condition normal.

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO USN.

16-20 Moored as before. 1800 Set material condition "Yoke" throughout the ship.

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E.B. Musch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 21 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER						CENTRAL		
07													
08													
09													
10	PEARL		HARBOR,		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04. Moored starboard side to U.S.S. Radford (DDE-446) with four (4) standard mooring lines doubled up in a nest of five (5) ships. U.S.S. Phillip (DDE-498) moored inboard of U.S.S. Radford (DDE-446) U.S.S. Buchanan moored inboard of U.S.S. Phillip (DDE-498) U.S.S. Buchanan (DDE-449) moored starboard side to U.S.S. Hamul (AD-20) at Ford Island, Pearl Harbor Hawaii at berth Foxtrot one (F-1) Receiving all service from U.S.S. Hamul (AD-20). Ships present included various ships and units of the U.S. Pacific Fleet plus land and diving craft. SOPA. COMFIRSTFLT. embarked aboard U.S.S. Helena (CA-75)

J.E. Hoffpy CWO USN

04-08. Moored as before. 0750 Mustered duty section on station absentees; none.

J.E. Hoffpy CWO U.S.N.

APPROVED: _____ LT, U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 21 (Date) AUGUST (Month), 19 61

08-12 Moored as before. 0816 Made daily inspection of mogazine temperatuwn and smakeless powder somples, conditioin normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke. 1815 Mustered the Duty fire party.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 22 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE	FLEET		WEATHER						CENTRAL			
07													
08													
09		PEARL		HARBOR,			HAWAII						
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to USS Rodford (DDE-446) with fore standard mooring lines in a nest of five (5) ships. USS Phillips (DDE-498) moored inboard USS Rodford (DDE-446), USS Nicholas (DDE-449) moored starboard side to USS Hamul (AD-20) at berth Forftat One (F-1) Ford Island, Pearl Harbor Hawaii. Receiving all services from the USS Hamul (AD-20). Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is COMFIRSTFLT embarked in USS Helena (CA-75).

E.B. Masch LTJG USNR

04-08 Moored as before. 0750 Mustered the crew for quarters and inspection, absentees none.

E.B. Masch LTJG USNR

APPROVED: [signature] LT. U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 22 (Date) AUGUST (Month), 1961

08-12 Moored as before. 0810 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. J. Stipp, CWO, USN

12-16 Moored as before.

J. J. Stipp, CWO, USN

16-20 Moored as before. 1800 set material condition Yoke. 1815 Mustered the duty fire party.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN.

APPROVED:

[signature] LT, U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 23 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE		FLEET		WEATHER					CENTRAL			
08													
09													
10													
11	PEARL HARBOR, HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to USS. Radford (DDE446) with four (4) standard mooring lines doubled up in a nest of five (5) ships. USS Phillips (DDE498) moored inboard of USS. Radford (DDE446). USS Nicholas (DDE449) moored inboard of USS Phillips (DDE498). USS Nicholas (DDE449) moored starboard side to USS. Hamul (AD20) at berth Foxtrot one (F-1), Ford Island Pearl Harbor, Hawaii. Receiving all services from the USS. Hamul (AD-20). Ships present include various ships and units of the U.S. Pacific Fleet, Yard and district craft. SOPA is ComCruFlt embarked in the USS. Helena (CA-75)

J. J. Stupp CWO USN

04-08 Moored as before. 0750 Mustered the ship's company (foul weather parade) for muster and inspection, Divine services, Movie.

J. J. Stupp, CWO, USN.

APPROVED:

CT, U. S. N. COMMANDING

EXAMINED:

E. B. Mutch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 23 (Date) AUGUST (Month) 19 61

0800-1200: MOORED AS BEFORE. 0915 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. R. SWAN, ENS, USNR

1200-1600: MOORED AS BEFORE.

W. R. SWAN, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1815 MUSTERED DUTY FIREPARTY.

W. R. SWAN, ENS, USNR

2000-2400: MOORED AS BEFORE.

W. R. SWAN, ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 24 (Date) AUGUST (Month), 1961

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09	PEARL		HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04: MOORED STARBOARD SIDE TO USS RADFORD (DDE-446) WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP IN A NEST OF FIVE (5) SHIPS. USS PHILLIP (DDE-498) INBOARD OF USS RADFORD (DDE-446), USS NICHOLAS (DDE-449) MOORED STARBOARD SIDE TO USS HAMUL (AD-20) AT BERTH FOXTROT-ONE (F-1), FORD ISLAND, PEARL HARBOR, HAWAII. RECEIVING ALL SERVICES FROM USS HAMUL (AD-20). SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT EMBARKED IN USS HELENA (CA-75)
W.E. Swan, ENS, USNR.

04-08: MOORED AS BEFORE: 0750 HELD QUARTERS FOR MUSTER AND INSPECTION. ABSENTEES: NONE. W.E. Swan ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Musch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 24 (Date) AUGUST (Month), 19 61

08-12 Moored as before. 0833 Made daily inspection of magazine temperature temperature and smokeless powder samples, condition normal.

J. B. Hoffey CWO USN

12-16. Moored as before.

J. B. Hoffey CWO USN.

16-20. Moored as before 1800 Set material condition Yoke throughout the ship. 1830 Mustered duty fire party, Standby to assist in rescue of man in water. 1900 Man overboard was identified as PERRY, WILLIAM FORREST (SN) USN 903-36-04 of the U. S. S. Radford (DDE-446)

J. B. Hoffey CWO U.S.N.

20-24. Moored as before.

J. B. Hoffey CWO U.S.N.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 25 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08	SEE		FLEET		WEATHER					CENTRAL			
09													
10													
11													
12	PEARL		HARBOR		HAWAII								
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04. Moored Starboard side to U.S.S. Radford (DDE-446) with four (4) standard mooring lines doubled up in a nest of five (5) Ships. U.S.S. Phillips (DDE-498) moored inboard to U.S.S. Radford (DDE-446) U.S.S. Nickolas (DDE-449) moored inboard of U.S.S. Phillips (DDE-498). U.S.S. Nicholas (DDE-449) moored starboard side to U.S.S. Hamul (AD-20) at berth 7 optent one (F-1) Ford Island, Pearl Harbor. Receiving all services from the U.S.S. Hamul (AD-20). Ships present include various units of the U.S. Pacific, afloat and district craft. S.O.P.A. is COMFIRSTFLT embarked in U.S.S. Helena (CA-75)

J.C. Hopping CWO U.S.N.

04-08 Moored as before. 0750 Mustered the Crew at Quarters for muster and inspection, absentees none.

J.C. Hopping CWO U.S.N.

APPROVED: LT, U.S.N. COMMANDING

EXAMINED: E.B. March LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 25 (Date) AUGUST (Month) 19 61

08-12 Moored as before. 0830 Made daily inspection of magazine temperatures and smokeless powder samples, condition normal. 1005 Conducted weekly test of magazine sprinkling system, test satisfactory.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition Yoke. 1815 Mustered duty fire party, all present.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410 DATE SATURDAY (Day) 26 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to USS Rodford (DDE-446) with four (4) standard mooring lines doubled up in a nest of five (5) ships, USS Philips (DDE-498) moored outward USS Rodford (DDE-446) USS Nicholas (DDE-469) moored inboard USS Philips (DDE-498) starboard side to USS Hornet (AO-20) at berth Foxtrot One (F-1) Ford Island, Pearl Harbor Hawaii. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. Receiving all serving from USS Hornet (AO-20). SOPA is COM FIRSTFLT embarked in USS Helena (CA-75).

E.B. Masch LTJG USNR

04-08 Moored as before.

E.B. Masch LTJG USNR

APPROVED: _____ CT, U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 26 (Date) AUGUST (Month) 19 61

08-12 Moored as before. 0830 Mustered the crew at quarters for Captains personnel inspection. 0850 Secured from Captains personnel inspection. 0900 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 1115 Moved ship forward approximately 100 feet to make steam connection.

J. J. Stipp, CWO, USN

12-16 Moored as before.

J. J. Stipp, CWO, USN

16-20 Moored as before. 1800 Set material condition "Yoke". 1830 Held fire drill in compartment A-304-A. 1840 Secured from fire drill.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 27 (Date) AUGUST (Month), 19 61

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08		SEE FLEET WEATHER CENTRAL											
09													
10													
11													
12		PEARL HARBOR, HAWAII											
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Radford (DDE 446) with four (4) standard mooring lines doubled up in a nest of five (5) ships. USS Phillips (DDE 498) moored on board of USS Radford (DDE 446). USS Nicholas (DDE 449) moored on board of USS Phillips (DDE 498). USS Nicholas (DDE 449) moored starboard side to U.S.S. Samuel (AD 20) at berth Foxtrot One (F-1), Ford Island, Pearl Harbor, Hawaii. Receiving all services from the U.S.S. Samuel (AD 20). Ships present include various ships and units of the U.S. Pacific Fleet, Yard and district craft. SOPA is ComDiv Four Pac.

J. J. Shipp, CWO, USN

04-08 Moored as before.

J. J. Shipp, CWO, USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 27 (Date) AUGUST (Month) 19 61

08-12: MOORED AS BEFORE. 0805 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0809 MUSTERED CREW ON STATIONS; ABSENTEES: NONE.

H K Swoan, ENS, USNR.

12-16: MOORED AS BEFORE.

H K Swoan, ENS, USNR.

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H K Swoan, ENS, USNR.

20-24: MOORED AS BEFORE.

H K Swoan, ENS, USNR.

APPROVED:

LT, U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

C

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 28 (Date) AUGUST (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09	SEE FLEET WEATHER CENTRAL												
10													
11													
12													
13	PEARL HARBOR, HAWAII												
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04: MOORED STARBOARD SIDE TO USS RADFORD (DDE-446) WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP IN A NEST OF FIVE (5) SHIPS. USS PHILLIP (DDE-498) MOORED INBOARD OF USS RADFORD (DDE-446). USS NICHOLAS (DDE-449) MOORED STARBOARD SIDE TO USS HAMUL (AD-20) AT BERTH FOXTROT-ONE (F-1), FORD ISLAND, PEARL HARBOR, HAWAII. RECEIVING ALL SERVICES FROM USS HAMUL (AD-20). SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMDEF FOR PAC.

H. H. Swan, ENS, USNR

04-08: MOORED AS BEFORE.

H. H. Swan, ENS, USNR.

APPROVED:

LT, U. S. N. COMMANDING

EXAMINED:

E. B. Mayeb

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 28 (Date) AUGUST (Month), 19 61

08-12. Moored as before. 0810 Made daily inspection of magazine temperature and smokeless powder samples. Conditions normal. 0900 Commenced preparations for getting underway. 0930 Set material condition "Yoke" 0935 Completed all preparations for getting underway. Draft: forward 14' 2", aft 14' 2". 0945 Stationed the special sea detail. 0959 Underway from alongside Off U.S.S. Radford (DDE-446) at Berth Foxtrot-One (F-1) Ford Island, Pearl Harbor Hawaii, maneuvering to clear along side. Captain (Canning) Navigator on the bridge. Steering various courses at various speed to moor along side of Tutuila - Eighteen (S-18) U.S. Naval Submarine Base Pearl Harbor, Hawaii. 1021 Moored Starboard side to Berth Tutuila - Eighteen (S-18), with standard mooring lines 1030 Secured Special sea detail. Stationed as in port watch. 1145 Commenced receiving miscellaneous services from the pier.

J. E. Hoffpy Cwo USN

12-16 Moored as before. 1345 Commenced taking on fuel from Pier. Tutuila Eighteen (S-18) Draft forward 14' 1" aft 14' 2

J. E. Hoffpy Cwo USN

16-20. Moored as before. 1632 Secured from taking on fuel. Draft forward 13' 9" aft 16' 8". 1723 Received on board 37,000 gallons of diesel fuel. 1800. Set Material Condition "Yoke". through out the ship. 1830 Posted the duty fire party and prowler.

J. E. Hoffpy Cwo USN

20-24. Moored as before.

J. E. Hoffpy Cwo U.S.N.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Marsh U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 29 (Date) AUGUST (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09	SEE FLEET WEATHER CENTRAL												
10													
11													
12													
13	PEARL HARBOR, HAWAII												
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 1

FUEL CONSUMED 0000-2400: 127

REMARKS

00-04 Moored. Starboard side to. berth Nimitz Eighteen (S-18) U.S. Navy Submarine Base Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous stores from the pier. Ship present included various units of the U.S. Pacific Fleet plus Yard and district craft. A.O.P.A. is COMSERVFORPAC

J.E. Haffey Cwo USN

04-08. Moored as before. 0750 Manned Quarters for muster and inspection; absentees none.

J.E. Haffey Cwo USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Musch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 29 (Date) AUGUST (Month), 19 61

08-12 Moored as before. 0913 Made daily inspection of magazine temperatures and smokeless powder samples, condition normal.

E.B. Masch LTJG USNR

12-16 Moored as before. 1338 Commanding Officer held mast and imposed non-judicial punishment as follows: GIBSON, WILLIAM H., SN, 389-94-36, USN, violation of article 92 UCMJ; violation of USS Abnaki (ATF-96) regulation 4248, awarded ten(10) days extra duty.

E.B. Masch LTJG USNR

16-20 Moored as before. 1800 Set material condition yoke. 1815 Mustered the duty fire party.

E.B. Masch LTJG USNR

20-24 Moored as before

E.B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABWAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 30 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to berth Sierra Eighteen (S-18) US Naval Submarine Base, Pearl Harbor Hawaii with four (4) standard mooring lines. Receiving miscellaneous service from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is COMASW PAC.

E.B. Masch LTJG USNR

04-08 Moored as before, 0750 Held quarters for muster and inspection, absentees none.

E.B. Masch LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 30 (Date) AUGUST (Month) 19 61

08-12 Moored as before. 0830 Made daily inspection of magazines and smokeless powder samples. Conditions: normal.

J. J. Stupp, CWO, USN

12-16 Moored as before.

J. J. Stupp, CWO, USN

16-20 Moored as before. 1800 Set material condition "Yoke", 1845 Held fire drill in motor whale boat. 1855 Secured from fire drill.

J. J. Stupp, CWO, USN

20-24 Moored as before.

J. J. Stupp, CWO, USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION T10 DATE THURSDAY (Day) 31 (Date) AUGUST (Month), 1961

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07		SEE		FLEET		WEATHER		CENTRAL					
08													
09													
10													
11		PEARL		HARBOR		HAWAII							
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
53

REMARKS

00-04 Moored starboard side to berth Sierra Eighteen (S-18), U.S. Naval Submarine Base, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft. SOPA is ComDesFlot Pac.

L. Stupka, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees: None.

L. Stupka, CWO, USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 31 (Date) AUGUST (Month), 19 61

Ø8-12: MOORED AS BEFORE. ØØØ MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

W P Swan ENS, USNR.

12-16: MOORED AS BEFORE.

W P Swan, ENS, USNR.

16-2Ø: MOORED AS BEFORE. 18Ø6 SET MATERIAL CONDITION YOKE.

W P Swan, ENS, USNR.

2Ø-24: MOORED AS BEFORE.

W P Swan, ENS, USNR.

APPROVED: EXAMINED:

[signature] LT, U. S. N. COMMANDING E. B. Mash LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ 19____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR